

# Pronto Lice Killing Shampoo

## ***Drug Facts***

### ***Active ingredients:***

Pyrethrum extract (pyrethrins 0.33%)  
with piperonyl butoxide 4%.....

### ***Purpose***

Lice treatment

***Use*** treats head, pubic (crab), and body lice

## ***Warnings***

**For external use only**

**Do not use** ■ near eyes ■ inside nose, mouth, or vagina  
■ on lice in eyebrows or eyelashes.

See a doctor if lice are present in these areas.

**Ask a doctor before use if you are**

■ allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

**When using this product**

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets in eyes, flush with water right away
- scalp itching or redness may occur

**Stop use and ask a doctor if**

- breathing difficulty occurs ■ eye irritation occurs
- skin or scalp irritation continues or infection occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## ***Directions***

**IMPORTANT: Read warnings before use**

**adults and children 2 years or over:**

**Inspect**

- check each household member with a magnifying glass in bright light for lice/nits (eggs)
- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time
- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

## **Treat**

- apply thoroughly to dry hair or other affected area. For head lice, first apply behind ears and to back of neck.
- allow product to remain for 10 minutes, but no longer
- use warm water to form lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

## **Remove lice and their eggs (nits)**

- use a fine-tooth or special lice/nit comb.  
Remove any remaining nits by hand (using a throw-away glove).
- hair should remain slightly damp while removing nits
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of head. Longer hair may take 1 to 2 hours.
- lift a 1-to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away always from scalp.
- pin back each strand of hair after combing
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that you missed
- a second treatment must be done in 7 to 10 days to kill any newly hatched lice
- if infestation continues, see a doctor for other treatments

**children under 2 years:** ask a doctor

## ***Other information***

- shake well
- see package insert for additional information

***Inactive ingredients*** di-alpha tocopheryl acetate, FD&C blue #1, fragrance, PEG-45 palm kernal glycerides, sodium laureth sulfate, water.

## ***Questions or comments?***

Call us at **1-800-952-5080** M-F 9am-5pm ET or visit our web site at <http://www.prontoplus.com>